

Table IV-3
BREAST CANCER (Invasive)

SEER INCIDENCE RATES, AGE-ADJUSTED AND AGE-SPECIFIC RATES^a, BY RACE AND SEX

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>AGE-ADJUSTED RATES</u>									
<u>YEAR OF DIAGNOSIS:</u>									
1975	58.0	0.9	105.0	59.4	0.9	107.3	52.1	-	93.5
1976	56.4	1.1	101.9	58.1	1.1	104.8	48.0	-	85.2
1977	56.0	1.0	100.8	57.5	0.9	103.4	49.6	-	86.9
1978	55.8	0.9	100.5	57.5	0.9	103.6	48.3	-	86.0
1979	56.8	1.0	102.1	58.3	0.9	104.8	49.9	-	86.9
1980	56.8	0.9	102.1	58.4	1.0	104.9	50.6	-	89.4
1981	59.3	1.0	106.3	61.2	0.9	109.8	54.4	-	94.2
1982	59.2	1.0	106.4	61.1	0.9	109.9	53.9	-	93.6
1983	61.9	1.0	111.1	63.7	1.1	114.5	58.8	-	103.3
1984	64.4	0.9	115.8	66.5	0.9	119.8	58.1	-	101.8
1985	69.0	1.0	124.1	70.9	1.0	127.7	64.0	-	111.5
1986	70.4	0.9	126.7	72.2	1.0	130.3	66.3	-	115.0
1987	74.7	1.0	134.4	77.8	1.0	140.3	62.9	-	109.1
1988	73.1	1.2	131.3	75.6	1.2	136.3	68.9	-	118.5
1989	70.7	1.1	127.1	73.3	1.1	132.3	60.7	-	105.3
1990	73.0	1.1	131.6	75.3	1.1	136.2	68.2	-	118.1
1991	73.9	1.1	133.6	76.5	1.2	138.6	67.2	-	117.1
1992	73.0	1.0	131.9	74.7	1.0	135.6	71.1	-	123.1
1993	71.3	1.1	129.1	73.1	1.0	133.1	68.7	-	119.3
1994	72.0	1.2	130.7	74.2	1.1	135.5	70.2	-	121.8
1995	72.7	1.0	132.3	75.0	0.9	137.4	71.5	-	123.4
1996	73.2	1.3	133.4	75.1	1.3	137.7	71.1	-	123.3
1997	75.3	1.2	137.4	77.4	1.1	142.3	71.5	-	123.7
1998	77.0	1.1	140.8	79.4	1.2	146.2	70.0	-	121.9
1999	76.6	1.1	140.4	79.0	1.0	146.0	71.7	-	124.0
2000	73.8	1.2	135.3	76.8	1.2	142.1	67.1	-	115.6
2001	74.4	1.3	136.6	77.1	1.3	142.9	65.0	-	112.6
2002	72.1	1.2	132.9	74.3	1.2	138.2	69.2	-	120.0
<u>AGE-ADJUSTED RATES, 1998-2002</u>									
<u>AGE AT DIAGNOSIS:</u>									
All ages	74.7	1.2	137.1	77.3	1.2	143.0	68.6	2.0	118.7
Under 65	46.4	0.5	90.4	47.3	0.5	93.5	44.5	0.8	81.6
65 and over	270.9	5.7	459.9	284.3	5.8	485.2	235.2	10.3	375.5
All ages(IARC world std) ^b	52.7	0.8	99.0	54.4	0.8	103.2	48.8	1.2	86.3
<u>AGE-SPECIFIC RATES, 1998-2002</u>									
<u>AGE AT DIAGNOSIS:</u>									
<1	-	-	-	-	-	-	-	-	-
1-4	-	-	-	-	-	-	-	-	-
5-9	-	-	-	-	-	-	-	-	-
10-14	-	-	-	-	-	-	-	-	-
15-19	-	-	-	-	-	-	-	-	-
20-24	0.6	-	1.3	0.6	-	1.2	-	-	-
25-29	3.8	-	7.6	3.5	-	7.2	6.0	-	11.3
30-34	13.3	-	26.8	12.5	-	25.6	17.7	-	33.4
35-39	30.8	-	61.7	30.7	-	62.3	32.7	-	61.5
40-44	60.7	-	120.3	60.8	-	122.4	62.0	-	115.9
45-49	99.3	0.9	194.8	101.1	0.9	201.2	97.2	-	179.9
50-54	131.2	1.4	255.9	134.5	1.4	265.6	125.2	-	229.4
55-59	173.0	2.5	335.7	178.5	2.4	350.4	153.4	-	278.5
60-64	207.3	3.4	394.7	215.7	3.5	415.5	183.3	-	327.6
65-69	239.3	4.5	440.7	252.4	4.7	470.7	209.1	-	360.1
70-74	266.2	5.1	472.2	278.9	5.5	499.4	227.0	-	376.3
75-79	293.2	5.2	496.6	307.7	5.0	521.8	263.0	-	419.5
80-84	296.4	8.5	472.0	310.1	9.1	492.9	246.3	-	374.6
85+	281.9	7.4	399.5	295.4	6.7	415.6	248.8	-	332.4

^a SEER 9 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b SEER 9 areas. Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 25 cases for the time interval.